



MSDS RAINBOW HARDNER

STATEMENT OF HAZARDOUS NATURE HAZARDOUS ACCORDING TO WORKSAFE AUSTRALIA CRITERIA

SUPPLIER

Insulcon Pty Ltd, ABN 46 098 619 562
34 Swift Way, Dandenong South, VIC 3175
Phone: 03 9768 2335, Fax: 03 9768 2337

IDENTIFICATION

Product Name:	Rainbow Hardner
UN No.	None allocated
Hazchem:	None allocated
Dangerous Goods Class:	None allocated
Packaging Group:	None allocated
Poisons Schedule Number:	None allocated

Physical description / properties

Appearance:	Textured, pigmented paint
Vapour Pressure:	Not applicable
Specific gravity:	1.0 – 1.6
Flash point:	Non-combustible
Solubility in water:	Dilutable

Ingredients

Graded silica sand	5 – 20%
Glycol	< 5%
Inert fillers	<10%
Pigments	<10%
Styrene Acrylic co-polymer	<30%

HEALTH HAZARD INFORMATION

Acute overexposure:

Swallowed:	Abdominal discomfort. Abrasive to digestive system, mouth and throat.
Eyes:	Irritating on direct contact
Inhalation:	Inhalation of vapour can cause nausea, headache and irritation to the throat and respiratory system.
Skin:	Irritation and drying of skin.

Chronic:

Skin:	Prolonged or repeated skin contact may cause irritation.
-------	--



MSDS

RAINBOW HARDNER

First Aid:

If swallowed:	Drink at least two glasses of water and rinse mouth and lips. Seek medical advice.
If in Eyes:	Flush eyes thoroughly with flowing water for 15 minutes. Seek medical attention if symptoms persist.
If on skin:	Wash thoroughly with soap and water. If skin irritation occurs, consult a physician.
If Inhaled:	Remove subject to fresh air. If symptoms persist seek medical attention.
Advice to doctor:	Treat symptomatically

PRECAUTIONS FOR USE

Engineering Controls:

Use only in well ventilated areas.

Personal Protection:

Eyes:	Safety glasses with side shields or goggles to AS/NZS 1336 should be worn if application is likely to cause droplets to come into contact with eyes.
Skin:	Apply barrier cream or wear gloves to minimise contact with skin. Wash thoroughly after use.

SAFE HANDLING INFORMATION

Handling and Storage

Store out of direct sunlight. Do not expose to abnormal ambient temperatures.

Spills and Disposal

Follow safety requirements for personal protection under "Precautions for use". Contain spill with sand. Shovel up as much as possible. Area and equipment can be cleaned up with water. Do not allow run off to enter sewers, storm water drains or open water.

Fire / Explosion hazard

Not considered to be a significant risk. Dried film can burn.

CONTACT POINT

Technical Manager Insulcon Pty Ltd.

This MSDS summarises our best knowledge of the health and safety hazards associated with this product. Each user should read this MSDS and consider the data in terms of how the product will be used in the workplace.

VALIDITY OF ISSUE

This MSDS is valid until 1/7/2014